



■ Vers. F50+F38+F52



■ Vers. F46



■ Vers. F00+001+489+F25+F02

FICHES TECHNIQUES

78-100cm / 31-39"

46cm / 18"

009

78-100cm / 31-39"

110cm / 43"

204cm / 80"

009

78-100cm / 31-39"

110cm / 43"

174cm / 69"

005

78-100cm / 31-39"

110cm / 43"

105cm / 41"

003

78-100cm / 31-39"

110cm / 43"

105cm / 41"

003

78-100cm / 31-39"

78-100cm / 31-39"

F46

110-163cm / 43-64"

204cm / 80"

F46

78-100cm / 31-39"

78-100cm / 31-39"

F93

110-163cm / 43-64"

174cm / 69"

F93

78-100cm / 31-39"

78-100cm / 31-39"

F54

110-163cm / 43-64"

105cm / 41"

F54

78-100cm / 31-39"

78-100cm / 31-39"

272/274

110cm / 43"

103cm / 41"

272/274

78-100cm / 31-39"

78-100cm / 31-39"

000/002

110cm / 43"

88cm / 35"

000/002

78-100cm / 31-39"

78-100cm / 31-39"

047/049

175cm / 69"

103cm / 41"

047/049

78-100cm / 31-39"

78-100cm / 31-39"

277/279

175cm / 69"

88cm / 35"

277/279

78-100cm / 31-39"

78-100cm / 31-39"

291

110cm / 43"

85cm / 33"

291

78-100cm / 31-39"

78-100cm / 31-39"

001

110cm / 43"

70cm / 28"

001

78-100cm / 31-39"

78-100cm / 31-39"

489

128cm / 50"

128cm / 50"

489

78-100cm / 31-39"

78-100cm / 31-39"

F50/F52

110-163cm / 43-64"

103cm / 41"

F50/F52

78-100cm / 31-39"

78-100cm / 31-39"

F00/F02

110-163cm / 43-64"

88cm / 35"

F00/F02

78-100cm / 31-39"

78-100cm / 31-39"

F38

110-163cm / 43-64"

85cm / 33"

F38

78-100cm / 31-39"

78-100cm / 31-39"

F25

110-163cm / 43-64"

70cm / 28"

F25

63-101cm / 25-40"

63-101cm / 25-40"

275

63-101cm / 25-40"

63-101cm / 25-40"

275

107cm / 42"

58cm / 23"

275

45cm / 18"

45cm / 18"

010

72cm / 28"

72cm / 28"

010

830

EXEMPLES DE COMPOSITIONS

319cm / 126"

404cm / 159"

272+291+489+291+291+049

286cm / 113"

356cm / 140"

F00+001+489+001+001+279

319cm / 126"

319cm / 126"

272+291+489+291+274

234cm / 92"

319cm / 126"

272+489+291+F52

396cm / 156"

186cm / 73"

F50+275+F38+275+F52

297cm / 117"

175cm / 69"

272+291+049

246cm / 97"

175cm / 69"

F00+001+279

248cm / 98"

163cm / 64"

F00+001+F02

CARACTERISTIQUES TECHNIQUES

	REVÊTEMENT	Cuir ☒	Tissu ☒			
	REMBOURRAGE	Arms ☐ Fibre ☒ Mousse ☐ Plume/Fibre Mix ☐ Plume	Seat cushion ☐ Fibre ☒ Mousse ☐ Plume/Fibre Mix ☐ Plume	Back cushion ☐ Fibre ☒ Mousse ☐ Plume/Fibre Mix ☐ Plume		
	CONFORT	Standard ☒	Ferme ☒			
	FONCTION	Lit ☐	Mécanisme électrique ☐	Mécanisme ☒	Fauteuil Relax ☒	Assise coulissante ☐
	APPARENCE VISUELLE*	Bas ☐	Moyen ☒	Haut ☐		
	PIEDS	Bois ☒	Métal ☐	Plastique ☐	Roues ☐	Revêtit ☐

APPARENCE VISUELLE

En raison de l'élasticité du rembourrage, de la construction interne et de la conception, le modèle peut présenter des rides aux degrés divers. Les rides sont des caractéristiques naturelles et ne doivent pas être considérées comme un défaut de fabrication.

 Bas  Moyen  Haut

Les modèles dont l'Apparence Visuelle est Haut ou Moyen nécessitent un entretien plus important, les coussins d'assise et de dossier devant être secoués plus fréquemment pour conserver leur aspect, que les modèles dont l'Apparence Visuelle est Bas.

NOTES

- Le modèle est uniquement disponible en cuir Top Grain et tissu.
- --- Model Baltimora can be ordered with quilted back cushions using model code X260 or with plain back cushions with model code C260.
- --- Dual power motion recliner: headrest and footrest
- --- Functions are operated by the power switch located on outside panel of the arm which also allocates a USB charging port.
- --- The armless relax seats have an upholstered switch flap on the side that can be easily hidden between the seats to activate the mechanism.
- --- The switch for version chair without arms with mechanism (versions 338/F38/F25), is on the left hand side of the seat (front view)
- --- A battery pack can be ordered with its own version code 830. For order entry please use XX for category and XXX for cover code. In order to optimize the duration of the battery, it is suggested to order one per each motion seat.
- --- Packaging: plastic wrap for stationary versions and cardboard box for motion/sofabed versions
- Pieds disponibles en finitions bois 09 (Noyer) / 18 (Wenge)

NOTES
